

A person who has overdosed may wake up after naloxone administration **or** they may remain unconscious.

If someone who received naloxone is breathing slowly, shallowly or not at all, **rescue breathing is essential.**



Give Rescue Breaths!

1. Place them on their back. Make sure nothing is their mouth.
2. Apply a barrier mask, if available. Tilt their head back, lift their chin and pinch their nose closed. This opens the airway.
3. **Give one breath slowly**, watching to see their chest rise.
4. Continue giving **one breath every five seconds**.
5. If they start to gurgle or breathe on their own, stop and roll them onto their side in recovery position.


Steps 1 - 2



Steps 3 - 4



Step 5



A person who has overdosed may wake up after naloxone administration **or** they may remain unconscious.

If someone who received naloxone is breathing slowly, shallowly or not at all, **rescue breathing is essential.**



Give Rescue Breaths!

1. Place them on their back. Make sure nothing is their mouth.
2. Apply a barrier mask, if available. Tilt their head back, lift their chin and pinch their nose closed. This opens the airway.
3. **Give one breath slowly**, watching to see their chest rise.
4. Continue giving **one breath every five seconds**.
5. If they start to gurgle or breathe on their own, stop and roll them onto their side in recovery position.

Steps 1 - 2



Steps 3 - 4



Step 5

