

ENCYCLOPEDIA OF MEASURES EMERGENCY DEPARTMENT (ED) BRIDGE PROGRAM

Release Date: July 2025









ENCYCLOPEDIA OF MEASURES

EMERGENCY DEPARTMENT (ED) BRIDGE PROGRAM

TABLE OF CONTENTS

KYSOS ED Bridge Metric #1 – Treatment Services for Opioid Use Disorder (OUD)
KYSOS ED Bridge Metric #1A – Treatment Services for Opioid Use Disorder (OUD) - Specific Medications
KYSOS ED Bridge Metric #2 – Treatment Services for Stimulant Use Disorder (StimUD)5
KYSOS ED Bridge Metric #3 – Treatment Services for Co-Occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD)6
KYSOS ED Bridge Metric #3A – Treatment Services for Co-Occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD) - Specific Medications7
KYSOS ED Bridge Metric #4 – Received Recovery Coaching or Peer Coaching in the Emergency Department
KYSOS ED Bridge Metric #5 – Demographics in ED Bridge program9
KYSOS ED Bridge Metric #6 – Total number of naloxone distributed in the emergency department to ALL clients with Opioid Use Disorder (OUD) or Co-Occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD)10
KYSOS ED Bridge Metric #7 – Treatment Services for Alcohol Use Disorder
KYSOS ED Bridge Metric #8 – Received Recovery Coaching or Peer Coaching from a Peer Support Specialist (PSS)12



TREATMENT SERVICES FOR OPIOID USE DISORDER (OUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Opioid Use Disorder (OUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.1xx and F11.2xx

- Measure: All patients in the emergency department with Opioid Use Disorder (OUD) who received an ED Bridge intervention occurring in the past one-month observation period.
- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.



TREATMENT SERVICES FOR OPIOID USE DISORDER (OUD) -SPECIFIC MEDICATIONS

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

 Measure: Total number of unduplicated clients with Opioid Use Disorder (OUD) who received specific medications for Opioid Use Disorder (OUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.1xx and F11.2xx

- KYSOS Metric #1A: Total number of clients provided Methadone
- KYSOS Metric #1B: Total number of clients provided Buprenorphine (Mono or Combination Product)
- KYSOS Metric #1C: Total number of clients provided Injectable Naltrexone
- Inclusions: All clients; 18 years and older for the Inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.



TREATMENT SERVICES FOR STIMULANT USE DISORDER (STIMUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Stimulant Use Disorder (StimUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Stimulant Use Disorder include F14.1xx, F14.2xx, F15.1xx and F15.2xx

- Measure: All patients in the emergency department with Stimulant Use Disorder (StimUD) diagnosis who received an ED Bridge intervention occurring in the past one-month observation period.
- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.



TREATMENT SERVICES FOR CO-OCCURRING OPIOID USE DISORDER (OUD) AND STIMULANT USE DISORDER (STIMUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORTING: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.1xx and F11.2xx

ICD 10 Diagnosis Codes for Stimulant Use Disorder include F14.1xx, F14.2xx, F15.1xx and F15.2xx

- Measure: All patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) diagnosis who received an ED Bridge intervention occurring in the past one-month observation period.
- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.



TREATMENT SERVICES FOR CO-OCCURRING OPIOID USE DISORDER (OUD) AND STIMULANT USE DISORDER (STIMUD) -SPECIFIC MEDICATIONS

MEASURE TYPE: Outcome

FREQUENCY OF REPORTING: Monthly

 Measure: Total number of unduplicated clients with co-occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD) who received specific medications for Opioid Use Disorder (MOUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.1xx and F11.2xx

ICD 10 Diagnosis Codes for Stimulant Use Disorder include F14.1xx, F14.2xx, F15.1xx and F15.2xx

- KYSOS Metric #3A: Total number of clients provided Methadone
- KYSOS Metric #3B: Total number of clients provided Buprenorphine (Mono or Combination Product)
- KYSOS Metric #3C: Total number of clients provided Injectable Naltrexone
- Inclusions: All clients; 18 years and older for the Inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.



RECEIVED RECOVERY COACHING OR PEER COACHING IN THE EMERGENCY DEPARTMENT

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received recovery coaching or peer coaching in the emergency department with Opioid Use Disorder (OUD) and/or Stimulant Use Disorder (StimUD).

- Measure: Total number of clients with Opioid Use Disorder (OUD) and/or Stimulant Use Disorder (StimUD) who received recovery coaching or peer coaching in the emergency department. (Examples include intervention by peer support specialist/peer coaching, referral or linkage to treatment, referral to wrap around services.)
- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None



DEMOGRAPHICS IN ED BRIDGE PROGRAM

DESCRIPTION: Total number of clients with an Opioid Use Disorder (OUD), Stimulant Use Disorder (StimUD) and/or co-occurring OUD and StimUD who received an ED Bridge intervention this month.

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

MEASURE TYPE: Structural

FREQUENCY OF REPORTING: Monthly

TOTAL NUMBER – Male

TOTAL NUMBER – Female

Total Number – Pregnant

TOTAL NUMBER BY RACE:

- Caucasian/White
- African American/Black
- American Indian or Alaska Native

AGE RANGES:

• Total Number – 18 – 25

Native Hawaiian or Pacific IslanderOther

Asian

- Total Number 26 40 •
- Total Number 41 50
- Total Number 51 64
- Total Number 65 and Older



TOTAL NUMBER OF NALOXONE DISTRIBUTED IN THE EMERGENCY DEPARTMENT TO ALL CLIENTS WITH OPIOID USE DISORDER (OUD) OR CO-OCCURRING OPIOID USE DISORDER (OUD) AND STIMULANT USE DISORDER (STIMUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Total number of naloxone distributed in the emergency department to clients with Opioid Use Disorder (OUD) or co-occurring OUD and Stimulant Use Disorder (StimUD).

- Measure: Total number of clients who received naloxone for Opioid Use Disorder (OUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.1xx and F11.2xx

ICD 10 Diagnosis Codes for Stimulant Use Disorder include F14.1xx, F14.2xx, F15.1xx and F15.2xx

- Inclusions: All clients; 18 years and older for the Inclusion
- Exclusions: None



TREATMENT SERVICES FOR ALCOHOL USE DISORDER

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Alcohol Use Disorder through the Emergency Department (ED) Bridge program.

- **Measure:** All patients in the emergency department with Alcohol Use Disorder who received an ED Bridge intervention occurring in the past one-month observation period.

ICD 10 Diagnosis Codes for Alcohol Use Disorder include F10.0, F10.10, F10.20, and F10.30

- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment.



RECEIVED RECOVERY COACHING OR PEER COACHING FROM A PEER SUPPORT SPECIALIST (PSS)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients with substance use disorder who have received recovery coaching or peer coaching from a Peer Support Specialist (PSS).

- Measure: Total number of clients with substance use disorder who received recovery coaching or peer coaching from a peer support specialist while in the emergency room or due to a consultation requested. Examples include intervention by peer support specialist/peer coaching, referral or linkage to treatment, referral to wrap around services.
- Inclusions: All clients; 18 years and older for the inclusion
- Exclusions: None