



**Statewide
Opioid
Stewardship**

ENCYCLOPEDIA OF MEASURES EMERGENCY DEPARTMENT (ED) BRIDGE PROGRAM

Release Date: December 2024





ENCYCLOPEDIA OF MEASURES

EMERGENCY DEPARTMENT (ED) BRIDGE PROGRAM

TABLE OF CONTENTS

KYSOS ED Bridge Metric #1 – Treatment Services for Opioid Use Disorder (OUD) 3

KYSOS ED Bridge Metric #1A – Treatment Services for Opioid Use Disorder (OUD) - Specific Medications..... 4

KYSOS ED Bridge Metric #2 – Treatment Services for Stimulant Use Disorder (StimUD) 5

KYSOS ED Bridge Metric #3 – Treatment Services for Co-Occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) 6

KYSOS ED Bridge Metric #3A – Treatment Services for Co-Occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD) - Specific Medications 7

KYSOS ED Bridge Metric #4 – Received Recovery Coaching or Peer Coaching in the Emergency Department 8

KYSOS ED Bridge Metric #5 – Demographics in ED Bridge program..... 9

KYSOS ED Bridge Metric #6 – Total number of naloxone distributed in the emergency department to ALL clients with Opioid Use Disorder (OUD) or Co-Occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD) 10

KYSOS ED Bridge Metric #7 – Treatment Services for Alcohol Use Disorder 11

KYSOS METRIC #1

TREATMENT SERVICES FOR OPIOID USE DISORDER (OUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Opioid Use Disorder (OUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.10 and F11.20

- **Measure:** All patients in the emergency department with Opioid Use Disorder (OUD) who received an ED Bridge intervention occurring in the past one-month observation period.
- **Inclusions:** All clients; 18 years and older for the inclusion
- **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.

KYSOS METRIC #1A

TREATMENT SERVICES FOR OPIOID USE DISORDER (OUD) - SPECIFIC MEDICATIONS

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

- **Measure:** Total number of unduplicated clients with Opioid Use Disorder (OUD) who received specific medications for Opioid Use Disorder (OUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.10 and F11.20

- KYSOS Metric #1A: Total number of clients provided Methadone
 - KYSOS Metric #1B: Total number of clients provided Buprenorphine (Mono or Combination Product)
 - KYSOS Metric #1C: Total number of clients provided Injectable Naltrexone
- **Inclusions:** All clients; 18 years and older for the Inclusion
 - **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.

KYSOS METRIC #2

TREATMENT SERVICES FOR STIMULANT USE DISORDER (STIMUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Stimulant Use Disorder (StimUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Stimulant Use Disorder – include F14.10, F14.20, F15.10 and F15.20

- **Measure:** All patients in the emergency department with Stimulant Use Disorder (StimUD) diagnosis who received an ED Bridge intervention occurring in the past one-month observation period.
- **Inclusions:** All clients; 18 years and older for the inclusion
- **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

Note: Patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) should not be counted under this metric.

KYSOS METRIC #3

TREATMENT SERVICES FOR CO-OCCURRING OPIOID USE DISORDER (OUD) AND STIMULANT USE DISORDER (STIMUD)

MEASURE TYPE: Outcome

FREQUENCY OF REPORTING: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) through the Emergency Department (ED) Bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.10 and F11.20

ICD 10 Diagnosis Codes for Stimulant Use Disorder – include F14.10, F14.20, F15.10 and F15.20

- **Measure:** All patients with co-occurring Opioid Use Disorder (OUD) AND Stimulant Use Disorder (StimUD) diagnosis who received an ED Bridge intervention occurring in the past one-month observation period.
- **Inclusions:** All clients; 18 years and older for the inclusion
- **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

KYSOS METRIC #3A

TREATMENT SERVICES FOR CO-OCCURRING OPIOID USE DISORDER (OUD) AND STIMULANT USE DISORDER (STIMUD) - SPECIFIC MEDICATIONS

MEASURE TYPE: Outcome

FREQUENCY OF REPORTING: Monthly

- **Measure:** Total number of unduplicated clients with co-occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD) who received specific medications for Opioid Use Disorder (MOUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.10 and F11.20

ICD 10 Diagnosis Codes for Stimulant Use Disorder – include F14.10, F14.20, F15.10 and F15.20

- KYSOS Metric #3A: Total number of clients provided Methadone
 - KYSOS Metric #3B: Total number of clients provided Buprenorphine (Mono or Combination Product)
 - KYSOS Metric #3C: Total number of clients provided Injectable Naltrexone
- **Inclusions:** All clients; 18 years and older for the Inclusion
 - **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

KYSOS METRIC #4

RECEIVED RECOVERY COACHING OR PEER COACHING IN THE EMERGENCY DEPARTMENT

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received recovery coaching or peer coaching in the emergency department with Opioid Use Disorder (OUD) and/or Stimulant Use Disorder (StimUD).

- **Measure:** Total number of clients with Opioid Use Disorder (OUD) and/or Stimulant Use Disorder (StimUD) who received recovery coaching or peer coaching in the emergency department. (Examples include intervention by peer support specialist/peer coaching, referral or linkage to treatment, referral to wrap around services.)
- **Inclusions:** All clients; 18 years and older for the inclusion
- **Exclusions:** None

KYSOS METRIC #5

DEMOGRAPHICS IN ED BRIDGE PROGRAM

DESCRIPTION: Total number of clients with an Opioid Use Disorder (OUD), Stimulant Use Disorder (StimUD) and/or co-occurring OUD and StimUD who received an ED Bridge intervention this month.

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment, completed buprenorphine induction and/or received naloxone.

MEASURE TYPE: Structural

FREQUENCY OF REPORTING: Monthly

TOTAL NUMBER – Male

TOTAL NUMBER – Female

Total Number – Pregnant

TOTAL NUMBER BY RACE:

- Caucasian/White
- African American/Black
- American Indian or Alaska Native
- Asian
- Native Hawaiian or Pacific Islander
- Other

AGE RANGES:

- Total Number – 18 – 25
- Total Number – 26 – 40
- Total Number – 41 – 50
- Total Number – 51 – 64
- Total Number – 65 and Older

KYSOS METRIC #6

Total number of naloxone distributed in the emergency department to ALL clients with Opioid Use Disorder (OUD) or Co-Occurring Opioid Use Disorder (OUD) and Stimulant Use Disorder (StimUD).

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Total number of naloxone distributed in the emergency department to clients with Opioid Use Disorder (OUD) or co-occurring OUD and Stimulant Use Disorder (StimUD).

- **Measure:** Total number of clients who received naloxone for Opioid Use Disorder (OUD) through the emergency department (ED) bridge program.

ICD 10 Diagnosis Codes for Opioid Use Disorder include F11.10 and F11.20

ICD 10 Diagnosis Codes for Stimulant Use Disorder – include F14.10, F14.20, F15.10 and F15.20

- **Inclusions:** All clients; 18 years and older for the Inclusion
- **Exclusions:** None

KYSOS METRIC #7

TREATMENT SERVICES FOR ALCOHOL USE DISORDER

MEASURE TYPE: Outcome

FREQUENCY OF REPORT: Monthly

DESCRIPTION: Number of unduplicated clients who have received ED Bridge intervention for Alcohol Use Disorder through the Emergency Department (ED) Bridge program.

- **Measure:** All patients in the emergency department with Alcohol Use Disorder who received an ED Bridge intervention occurring in the past one-month observation period.

ICD 10 Diagnosis Code for Alcohol Use Disorder is F10.20

- **Inclusions:** All clients; 18 years and older for the inclusion
- **Exclusions:** None

Intervention is defined as interacted with peer, received a referral and/or linkage to treatment.